
PRESSALIT. Care







Toilet lifters with electric or manual operation

The aim is to make it as easy as possible for users to get on and off the toilet during daily use. The aim is also to make the carer's work easier, and make the process comfortable and dignified for the user. We ensure good hygiene by making cleaning easier. But creating an attractive and inviting environment is also key. Pressalit Care's toilet lifters are available with manual and electric operation, and can be combined with support arms, flush buttons and all the other equipment which makes toileting easy, safe and hygienic.







Powered toilet lifters





Powered toilet lifters

- Supplied with side profiles for support arms and cistern, incl. 3/6 I dual flush

◀ R8312xxx R8322xxx 400 mm height adjustable for floor outlet 400 mm height adjustable for wall outlet



Powered toilet lifters

- Supplied incl. cistern with 3/6 I dual flush

■ R8212xxx R8222xxx


400 mm height adjustable for floor outlet 400 mm height adjustable for wall outlet



Manual toilet lifters







- Supplied with side profiles for support arms and cistern, incl. 3/6 I dual flush

■ R8112xxx 300 mm height adjustable for floor outlet R8122xxx 300 mm height adjustable for wall outlet



Manual toilet lifters

- Supplied incl. cistern with 3/6 I dual flush

R8012xxx R8022xxx 300 mm height adjustable for floor outlet 300 mm height adjustable for wall outlet

Toilet lifters with side profiles – dimensions and accessories

Dimensions – powered toilet lifters Dimensions – manual toilet lifters . 815-815 215 min.1230 min.1230 min.425 min.425 400 mm height-adjustable for floor outlet R8312 R8112 300 mm height-adjustable for floor outlet R8322 R8122 400 mm height-adjustable for wall outlet 300 mm height-adjustable for wall outlet With R2099 long toilet pan mounted A = 700 mm With R2099 long toilet pan mounted A = 700 mm With R2091 short toilet pan mounted A = 540 mm With R2091 short toilet pan mounted A = 540 mm

Accessories Support arms Support arms Backrest R3108xxx (right-hand operated) ▲ RF108xxx (right-hand operated) RF107xxx (left-hand operated) R6515xxx ▲ R3107xxx (left-hand operated) Fixed. Only for use with long toilet pan. 240 mm height-adjustable support arms (L: 850 mm), for 240 mm height-adjustable support arms (L: 850 mm), long toilet pan (L: 700 mm). counterbalanced, for long toilet pan (L: 700 mm). Be sure to order both left- and right-hand operated Be sure to order both left- and right-hand operated support arms. support arms. Support arms Toilet pans Support arms Wall hung toilet 700 mm R3127xxx (right-hand operated) ▲ RF127xxx (right-hand operated) R2099 R2091 Wall hung toilet 540 mm ▲ R3117xxx (left-hand operated) RF117xxx (left-hand operated) 240 mm height-adjustable support arms (L: 600 mm), for 240 mm height-adjustable support arms (L: 600 mm), short toilet pan (L: 540 mm). counterbalanced, for short toilet pan (L: 540 mm). Be sure to order both left- and right-hand operated Be sure to order both left- and right-hand operated support arms. support arms. Paper holder Flush button R9321 R9342

Flush buttons for half and full flush. Buttons for one-hand

The flush button can be fitted directly on the underside of the support arm and works with selected Geberit built-in

remote operation of the flush function.

cisterns.

Colour:

xxx = colour

000 White026: Orange112 Anthracite277 Lime green

Toilet paper holder for fitting under the support arm.

Toilet lifters without side profiles

- dimensions and accessories


555 min.1230 ±355→ min.425

Dimensions – powered toilet lifters

R8212 400 mm height-adjustable for floor outlet R8222 400 mm height-adjustable for wall outlet

> With R2099 long toilet pan mounted A = 700 mm With R2091 short toilet pan mounted A = 540 mm

Dimensions – manual toilet lifters




300 mm height-adjustable for floor outlet R8022 300 mm height-adjustable for wall outlet

> With R2099 long toilet pan mounted A = 700 mm With R2091 short toilet pan mounted A = 540 mm

Accessories

Support arms for horizontal wall track




R3585yyyxxx ▲ R3575yyyxxx (right-hand operated) (left-hand operated)

240 mm height-adjustable support arms (L: 850 mm), for short toilet pan (L: 550 mm) in combination with PLUS wall

Be sure to order both left- and right-hand operated support arms.

Support arms for horizontal wall track



RF585yyyxxx RF575yyyxxx

(right-hand operated) (left-hand operated)

240 mm height-adjustable support arms (L: 850 mm), counterbalanced, for short toilet pan (L: 550 mm) in combination with PLUS wall track.

Be sure to order both left- and right-hand operated support arms.


Wall tracks for horizontal mounting behind the toilet lifter



R9806yyy Wall track, 600 mm R9809yyy Wall track, 900 mm R9812yyy Wall track, 1200 mm R9815yyy Wall track, 1500 mm R9818yyy Wall track, 1800 mm R9821yyy Wall track, 2100 mm R9824yyy Wall track, 2400 mm

Tracks are stocked in intervals of 300 mm, but can be supplied in any length to order.

Support arms for vertical wall track




R3185yyyxxx ▲ R3175yyyxxx (right-hand operated) (left-hand operated)

240 mm height-adjustable support arms (L: 850 mm), for short toilet pan (L: 550 mm) in combination with PLUS wall

Be sure to order both left- and right-hand operated support arms.

Support arms for vertical wall track



RF185yyyxxx RF175yyyxxx (right-hand operated) (left-hand operated)

240 mm height-adjustable support arms (L: 850 mm), counterbalanced, for short toilet pan (L: 550 mm) in combination with PLUS wall track.

Be sure to order both left- and right-hand operated support arms.


Backrest



R6515xxx

Fixed. Only for use with long toilet pan.


Paper holder



R9321

Toilet paper holder for fitting under the support arm.

Flush button




R9342

Flush buttons for half and full flush. Buttons for one-hand remote operation of the flush function.

The flush button can be fitted directly on the underside of the support arm and works with selected Geberit built-in cisterns.

Toilet pans



R2099 R2091 Wall hung toilet 700 mm Wall hung toilet 540 mm

Colour:

xxx = colour 000 White ■ 112 Anthracite ■ 277 Lime green

026: Orange

● 035: Red ●108: Dark blue

yyy = colour

■ 112 Anthracite ■ 182 Light grey

Colour:

Reduced functionality need not limit a person's development. For more than 35 years, the keep living philosophy has been a guiding principle for Pressalit Care's development of flexible kitchen and bathroom solutions for people with disabilities.

market leader within specialist kitchen and bathroom solutions and today provides consultancy to customers worldwide.

An underlying respect for the individual and his or her possibilities is also reflected in the company's relationship to society at large and the local community. At Pressalit, Corporate Social Responsibility (CSR) is deeply rooted in the company's strategy and values and guides all parts of the organisation

Pressalit Care's head office is located in Denmark.

www.pressalit.com

Pressalit A/S

UK Sales - Presssalit Care Ltd

Green Park RG2 6GP

Fax: +44 0118 986 8867 E-mail: uk@pressalit.com

International Sales Department

Denmark
Tel.: +45 8788 8777









