




Baxter

SLING & ACCESSORY SELECTION GUIDE

REPO SHEET POSITIONING AID[†]

INTENDED FOR USE WITH **MULTIRALL, LIKORALL, LIKOGUARD** OVERHEAD LIFTS AND **GOLVO, VIKING, UNO 102, M220 AND M230** MOBILE LIFTS.

SLING	PATIENT WEIGHT RANGE [‡]	SIZE	DIMENSIONS	PRODUCT NO.
 Solo Single-Patient-Use Solution Repo Sheet (Generous: 60% polyester, 40% cotton. Short: 62% polyester, 38% cotton) *Patient Specific*	Up to 200 kg (440 lb)	Short (20 per case)	43" x 71"	36871003-2
	Up to 300 kg (660 lb)	Generous (8 per case)	51" x 85"	36871004-8
 Repo Sheet (Polyester)	Up to 200 kg (440 lb)	Regular	53" x 100"	3687701
	200-500 kg (440-1100 lb)	Ultra	57" x 100"	3687702
 Repo Sheet (Net Polyester)	Up to 200 kg (440 lb)	Regular	53" x 100"	3687301
	200-500 kg (440-1100 lb)	Ultra	57" x 100"	3687302

CLINICAL APPLICATIONS



REPOSITIONING



TURNING



TRANSFERS



SEATED SLINGS[†]

SLING	PATIENT WEIGHT RANGE [‡]	SIZE	PRODUCT NO.	SAFE WORKING LOAD
Solo HighBack Sling Mod. 25 (MS, M and L: 48% polypropylene, 48% polyester, 4% polythene. XL: 98% polyester, 2% polythene.) *Patient Specific*	30-50 kg (66-110 lb)	M-Slim (case of 20)	3525911-2	200 kg (440 lb)
	40-80 kg (88-176 lb)	M (case of 20)	3525915-2	
	70-120 kg (154-265 lb)	L (case of 20)	3525916-2	200 kg (440 lb)
	110-250 kg (243-551 lb) with max 500 kg (1100 lb)	XL (case of 8)	3525917-2	500 kg (1100 lb)
Soft Original HighBack Sling, Mod. 26 (Polyester, reinforced leg and back supports)	30-50 kg (66-110 lb)	M-Slim	3526111	200 kg (440 lb)
	40-80 kg (88-176 lb)	M	3526115	
	70-120 kg (154-264 lb)	L	3526116	
	110-250 kg (242-550 lb)	XL	3526117	500 kg (1100 lb)
	>200 kg (440 lb) with max 500 kg (1100 lb)	XXL	3526118	
Original HighBack Sling, Mod 200 (Polyester with belt) *type of leg support	15-20 kg (33-44 lb)	XS	35200113 (reinforced*)	200 kg (440 lb)
			35200103 (standard*)	
	20-30 kg (44-66 lb)	S	35200114 (reinforced*)	
			35200104 (standard*)	
	30-50 kg (66-110 lb)	M	35200105 (standard*)	
	40-80 kg (88-176lbs)	L	35200106 (standard*)	
	70-120 kg (154-264 lb)	XL	35200107 (standard*)	500 kg (1100 lb)

COLOR CODED SLING SIZING

Size markings in different colors. To assist in selecting an optimally sized sling, this is shown on the middle back strip. For patient specific (Solo) slings, this is shown around the outside edge.

SIZE	COLOUR	PATIENT WEIGHT	MAX LOAD
XXL		200 - xx kg (440 - xx lb)	500 kg (1100 lb)
XL		110-250 kg (242-550 lb)	500 kg (1100 lb)
L		70-120 kg (154-264 lb)	200 kg (440 lb)
M		40-80 kg (88-176lbs)	200 kg (440 lb)
MS		30-50 kg (66-110 lb)	200 kg (440 lb)
S		20-30 kg (44-66 lb)	200 kg (440 lb)
XS		15-20 kg (33-44 lb)	200 kg (440 lb)



SLING	PATIENT WEIGHT RANGE‡	SIZE	PRODUCT NO.	SAFE WORKING LOAD	
Original HighBack Sling, Mod 200 & 210 (Polyester, reinforced leg supports)	30-50 kg (66-110 lb)	M-Slim	35210115	200 kg (440 lb)	
	40-80 kg (88-176 lb)	M	35200115		
	70-120 kg (154-264 lb)	L	35200116	500 kg (1100 lb)	
	110-250 kg (242-550 lb)	XL	35200117		
	>200 kg (440 lb) with max 500 kg (1100 lb)	XXL	35200118		
UniversalSling, Mod.000 (Polyester, reinforced leg supports)	35-55 kg (77-121 lb)	S	35000114	200 kg (440 lb)	
	45-70 kg (99-154 lb)	M-Slim	35000111		
	60-90 kg (132-198 lb)	M	35000115		
	80-120 kg (176-264 lb)	L	35000116	300 kg (660 lb)	
	110-250 kg (242-550 lb)	XL	35000117		
Original HighBack Sling, Mod. 200 (Net Polyester with belt) *type of leg support	15-20 kg (33-44 lb)	XS	35200313 (reinforced*)	200 kg (440 lb)	
			35200303 (standard*)		
	20-30 kg (44-66 lb)	S	35200314US (reinforced*)		
			35200304 (standard*)		
	30-50 kg (66-110 lb)	M	35200305 (standard*)		
	40-80 kg (88-176lbs)	L	35200306 (standard*)		
	70-120 kg (154-264 lb)	XL	35200307 (standard*)		

CLINICAL APPLICATIONS

SUPPORTED SITTING



TRANSFERS



FALL RECOVERY



VEHICLE EXTRACTION



SEATED SLINGS†

SLING	PATIENT WEIGHT RANGE‡	SIZE	PRODUCT NO.	SAFE WORKING LOAD	
Original HighBack Sling, Mod 200/210 (Net Polyester, reinforced leg supports)	30-50 kg (66-110 lb)	M-Slim	35210315	200 kg (440 lb)	
	40-80 kg (88-176 lb)	M	35200315US		
	70-120 kg (154-264 lb)	L	35200316US	500 kg (1100 lb)	
	110-250 kg (242-550 lb)	XL	35200117		
Original HighBack Sling, Mod 200/210 Plastic Coated Net (wipeable) with belt	15-20 kg (33-44 lb)	XS	35200403	200 kg (440 lb)	
	20-30 kg (44-66 lb)	S	35200404		
Original HighBack Sling, Mod 200/210 Plastic Coated Net (wipeable)	30-50 kg (66-110 lb)	M-Slim	35210405	200 kg (440 lb)	
	40-80 kg (88-176 lb)	M	35200405		
	70-120 kg (154-264 lb)	L	35200406	500 kg (1100 lb)	
	110-250 kg (242-550 lb)	XL	35200407		
	>200 kg (440 lb) with max 500 kg (1100 lb)	XXL	35200418		
UniversalSling, Mod.000 (Net Polyester, reinforced leg supports)	35-55 kg (77-121 lb)	S	35000314	200 kg (440 lb)	
	45-70 kg (99-154 lb)	M-Slim	35000311		
	60-90 kg (132-198 lb)	M	35000315		
	80-120 kg (176-264 lb)	L	35000316	300 kg (660 lb)	
	110-250 kg (242-551 lb)	XL	35000317		
UniversalSling, Mod.000 Plastic Coated Net (wipeable)	35-55 kg (77-121 lb)	S	35000404	200 kg (440 lb)	
	60-90 kg (132-198 lb)	M	35000405		
	80-120 kg (176-264 lb)	L	35000406	300 kg (660 lb)	
	110-250 kg (242-551 lb)	XL	35000407		
SilhouetteSling, Mod. 22 (Net Polyester)	20- 28 kg (44-62 lb)	XS	3522603	200 kg (440 lb)	
	25-50 kg (55-110 lb)	S	3522604		
	45-75 kg (99-165 lb)	M	3522605		
	65-100 kg (143-220 lb)	L	3522306		
Amputee HighBack Sling, Mod. 75 (Net Polyester)	40-60 kg (88-132 lb)	M	3575315	200 kg (440 lb)	

SLING	PATIENT WEIGHT RANGE†	SIZE	PRODUCT NO.	SAFE WORKING LOAD		
Amputee HighBack Sling, Mod. 75 (Polyester)	<40 kg (<88 lb)	S	3575114	200 kg (440 lb)		
	40-60 kg (88-132 lb)	M	3575115			
	60-80 kg (132-176 lb)	L	3575116			
	>70 kg (>154 lb)	XL	3575117	300 kg (660 lb)		
ComfortSling Plus, Mod. 300 (Net Polyester)	25-50 kg (55-110 lb)	S	35300304	200 kg (440 lb)		
	40-80 kg (88-176 lb)	M	35300305			
	70-110 kg (154-243 lb)	L	35300306			
	>100 kg (>220 lb)	XL	35300307	300 kg (660 lb)		
ComfortSling Plus High, Mod. 350 (Net Polyester)	25-50 kg (55-110 lb)	S	35350304	200 kg (440 lb)		
	40-80 kg (88-176 lb)	M	35350305			
	70-110 kg (154-243 lb)	L	35350306			
	>100 kg (>220 lb)	XL	35350307	300 kg (660 lb)		
HygieneSling with Belt, Mod.41 (Polyester, reinforced leg supports)	<30 kg (<66 lb)	XS	3541133	200 kg (440 lb)		
	25-50 kg (55-110 lb)	S	3541134			
	40-90 kg (88-198 lb)	M	3541135			
	80-120 kg (176-264 lb)	L	3541136			
HygieneSling with SafetyBelt, Mod. 45 (Polyester, reinforced leg supports)	>100 kg (>220 lb)	XL	3541137	300 kg (660 lb)		
	25-50 kg (55-110 lb)	S	3545134	200 kg (440 lb)		
	40-90 kg (88-198 lb)	M	3545135			
	80-120 kg (176-264 lb)	L	3545136			
HygieneVest HighBack Sling, Mod. 55 (Polyester, reinforced leg supports)	>100 kg (>220 lb)	XL	3545137	300 kg (660 lb)		
	<20 kg (<44 lb)	XXS	3555112	200 kg (440 lb)		
	20-40 kg (44-88 lb)	XS	3555113			
	30-60 kg (66-132 lb)	S	3555114			
	50-80 kg (110-176 lb)	M	3555115			
	70-100 kg (154 - 220 lb)	L	3555116			
UltraSling, Mod. 06 (Polyester)	90-130 kg (198-286 lb)	XL	3555117	300 kg (660 lb)		
	>200 kg (440 lb) with max 500 kg (1100 lb)	Regular	3506115	500 kg (1100 lb)		

MASTERVEST, LIFTPANTS AND ULTRA LIFTPANTS[†]

SLING	PATIENT WEIGHT RANGE [‡]	SIZE	PRODUCT NO.	SAFE WORKING LOAD	
MasterVest Mod. 60 (Polyester) *Back Closure*	20-40 kg (44-88 lb)	XS	3560113	200 kg (440 lb)	
	40-60 kg (88-132 lb)	S	3560114		
	60-80 kg (132-176 lb)	M	3560115		
	80-100 kg (176-220 lb)	L	3560116	300 kg (660 lb)	
	100-130 kg (220-286 lb)	XL	3560117		
	120-300 kg (264-660 lb)	XXL	3560118		
MasterVest Mod. 64 (Polyester) *Front Closure with Buckles*	40-60 kg (88-132 lb)	S	3564114	200 kg (440 lb)	
	60-80 kg (132-176 lb)	M	3564115		
	80-100 kg (176-220 lb)	L	3564116		
	100-130 kg (220-286 lb)	XL	3564117		
	120-200 kg (264-440 lb)	XXL	3564118		




OPTIONAL ACCESSORIES

Solo Cover Ultra LiftPants

PRODUCT NO.	SIZE
3692908-2	XXL/XXXL (case of 20)

Leg Harness MasterVest, Mod. 66

PRODUCT NO.	SIZE
3666004	XXS, XS, S
3666005	M, L
3666006	XL



SLING	PATIENT WEIGHT RANGE†	HEIGHT	SIZE	PRODUCT NO.	SAFE WORKING LOAD
LiftPants Mod. 92 (Outside: Net polyester Inside: padded in polyester)	20-50 kg (44-110 lb)	120-160 cm (47-63 in)	S	3592324	200 kg (440 lb)
	50-85 kg (110-187 lb)	160-180 cm (63-71 in)	M	3592325	
	70-120 kg (154-264 lb)	170-200 cm (67-79 in)	L	3592326	
	100-500 kg (220-1100 lb)	170-210 cm (67-83 in)	XL	3592327	



SLING	PATIENT WEIGHT RANGE†	HEIGHT	WAIST CIRCUMFERENCE	SIZE	PRODUCT NO.	SAFE WORKING LOAD
Ultra LiftPants Mod. 920 (Outside: Net polyester Inside: padded in polyester)	200-500 kg (440-1100 lb)	170-210 cm (67-83 in)	185-260 cm (73-102 in)	XXL	35920328	500 kg (1100 lb)
			186-300 cm (73-118 in)	XXXL	35920329	



CLINICAL APPLICATIONS



MULTISTRAPS[†]

SLING	WEIGHT RANGE [‡]	SIZE	WIDTH	PRODUCT NO.	
Solo MultiStrap (Non-woven polypropylene) *Patient Specific*	Up to 200 kg (440 lb)	Standard (case of 20)	10 cm (4 in)	3695915	
		Wide (case of 20)	25 cm (10 in)	3695916	
MultiStrap (Polyester)	Up to 200 kg (440 lb)	Standard	10 cm (4 in)	3695115	
		Wide	25 cm (10 in)	3695116	
		Ultra	38 cm (15 in)	3695117	

OPTIONAL ACCESSORIES FOR TURNING



Fix Strap

SIZE	QTY	PRODUCT NO.
135 cm (53 in)	Individual (1)	3696001
	Set of 10	3696001-10

CLINICAL APPLICATIONS



REPOSITIONING



TURNING



LIMB SUPPORT

SUPPORTVEST, SAFETYVEST, COMFORTVEST

INTENDED USE WITH SABINA II

SLING	PATIENT WEIGHT RANGE [‡]	SIZE	PRODUCT NO.	
ACTIVE TRANSFERS UP TO 440 LB WITH 350 SLING BAR				
Solo SupportVest, Mod. 911 (Non-woven 65% Polyester, 29% Polypropylene, 6% Polythene) *Patient Specific*	Up to 200 kg (440 lb)	M	35911915	
		L	35911916	
SupportVest, Mod. 91 (Polyester)	<60 kg (<132 lb)	S	3591134	
	50-80 kg (110-176 lb)	M	3591135	
	70-100 kg (154-220 lb)	L	3591136	
	100-200 kg (220-440 lb)	XL	3591137	
SafetyVest, Mod. 93 (Polyester)	<80 kg (176 lb)	M	3593115	
	>70 kg (154 lb)	L	3593116	
ACTIVE TRANSFERS UP TO 440 LB WITH COMFORT SLING BAR				
ComfortVest, Mod. 95 (Polyester, Plastic coated net)	<60 kg (<130 lb)	S	3595414	
	50-80 kg (110-175 lb)	M	3595415	
	70-100 kg (155-220 lb)	L	3595416	
	100-200 kg (220-440 lb)	XL	3595417	
PASSIVE TRANSFERS UP TO 330 LB WITH HYGIENESLING MOD. 41, 45, & UNIVERSALSLING*				
Hygiene Sling, Mod. 41			Hygiene Sling, Mod. 45	
			Universal Sling	

*Please see seated slings section for sling selection criteria for each of the passive transfer sling options listed above.

SUPPORTVEST, SAFETYVEST,
COMFORTVEST


CLINICAL APPLICATIONS



STAND PIVOT TRANSFERS

SLING BARS

SLING BAR	PATIENT WEIGHT RANGE†	PRODUCT NO.	QUICK RELEASE IMAGE
Universal SlingBar 450 *Best Seller*	300 kg (660 lb)	3156085 (Quick Release)	
		3156075 (Fixed)	
Universal SlingBar 350	300 kg (660 lbs)	3156084 (Quick Release)	
		3156074 (Fixed)	
Universal SlingBar 600	300 kg (660 lb)	3156086 (Quick Release)	
		3156076 (Fixed)	
Universal TwinBar 670	300 kg (660 lb)	3156087 (Quick Release)	
		3156077 (Fixed)	
Sling Cross-Bar 450	300 kg (660 lb)	3156022 (Quick Release)	
		3156021 (Fixed)	
Sling Cross-Bar 670	300 kg (660 lb)	3156019 (Quick Release)	
		3156018 (Fixed)	
Universal SideBars 450	300 kg (660 lb)	3156079 Fits Universal Sling Bar 350, 450, and 600 options.	



LIKOGUARD SLING BARS

SLING BAR	PATIENT WEIGHT RANGE†	PRODUCT NO.	QUICK HOOK IMAGE
SlingGuard 450	363 kg (800 lb)	3308520 (Quick Hook)	
		3308020 (Fixed)	
SlingGuard 670 Twin	363 kg (800 lb)	3308540 (Quick Hook)	
		3308040 (Fixed)	

LIFT SCALES

SCALE	PATIENT WEIGHT RANGE†	PRODUCT NO.
LikoScale 200 *Only available in the United States and Canada*	200 kg (440 lb)	3156225
LikoScale 350	400 kg (880 lb)	3156228
LikoScale 400 *Only available in the United States and Canada*	400 kg (880 lb)	3156226
Adapter Kit LikoScale for Quick Release Hook	300 kg (660 lb)	3156232




HORIZONTAL LIFTING SOLUTIONS

LIFT STRETCHER	PATIENT WEIGHT RANGE†	DIMENSIONS (L X W X H)	PRODUCT NO.	ACCESSORIES
OCTOSTRETCH Lift Stretcher	200 kg (440 lb)	1263 mm x 617 mm x 305 mm (50" x 24" x 12")	3156056 with stretch leveller	3683105 Octo LiftSheet , M
				3683106 Octo LiftSheet , L
				3683905-4 Solo Octo LiftSheet , M
				3683906-4 Solo Octo LiftSheet , L
				3156508 Quick-release Hook Universal
LIKOSTRETCH MOD 600 IC Lift Stretcher	250 kg (550 lb)	660 mm x 800 mm x 460 mm (26" x 31.5" x 31.5")	3156065B Excl. accessories	3166506 SideRails 600 IC (pair)
				3684001 LiftStraps Mod 600 IC, 8 pcs/set
				3684002 Spatula Mod 600 IC
				3156200 Stretch Leveller
				3156502 Quick-release Hook TDM
FLEXOSTRETCH Lift Stretcher	300 kg (660 lb)	1440 mm x 710-950 mm x 254 mm (57" x 28-37.5" x 10")	3156057 with stretch leveller	3684105 LiftSheet XL, Regular
				3684106 LiftSheet XL, Tall
				36871003-2 Solo Repo Sheet , Short
				36871004-8 Solo Repo Sheet , Generous
				3156508 Quick-release Hook Universal
ULTRASTRETCH Lift Stretcher	400 kg (880 lb)	1440 mm x 710-950 mm x 176 mm (57" x 28-37.5" x 7")	3156058	3684105 LiftSheet XL, Regular
				3684106 LiftSheet XL, Tall
				36871003-2 Solo Repo Sheet , Short
				36871004-8 Solo Repo Sheet , Generous

PRODUCT COMPATIBILITY



LikoGuard L and XL, **Likorall** 200, 242, 243, 250, **Multirall**, **Viking** M, L, XL and **Golvo** 9000



LikoGuard L and XL, **Likorall** 200, 242, 243, 250, **Multirall**, **Viking** L, XL and **Golvo** 9000



LikoGuard L and XL, **Likorall** 200, 242, 243, 250, **Multirall**, **Viking** L, XL and **Golvo** 9000



UltraTwin
Overhead Lift System

CLINICAL APPLICATIONS

LATERAL TRANSFERS



REPOSITIONING



Note: Any organisation that purchases hoists and body-support slings shall make sure, that the combination(s) are safe either by requiring compatibility documentation for the combination(s) from the manufacturer(s) or by performing compatibility testing themselves hereby transferring the responsibility for a safe combination to the organisation (ISO 10535:2021).

† Intended use with Multirall, Likorall, LikoGuard overhead lifts and Golvo, Viking, Uno 102, M220 and M230 mobile lifts.

‡ Refer to appropriate sling instruction guidelines for complete information. Patient girth and weight should be considered when sizing.

CONSULT WITH YOUR BAXTER SALES REPRESENTATIVE
FOR SELECTING THE MOST IDEAL SLING.

Liko slings and accessories are intended to be used in combination with Liko lifts for a range of lifting and transferring situations in a variety of care settings.

Medical device (2017/745): Class I

Manufacturer: Liko AB, Nedre vägen 100, 975 92 Luleå, Sweden

These products are regulated health care products which, where required by applicable regulations, bear a CE mark. Baxter recommends you carefully read the detailed instructions for safe and proper use included in the documentation accompanying medical devices. The personnel of healthcare establishments are responsible for the proper use and maintenance of these medical devices.

Baxter reserves the right to make changes without notice in design, specifications and models. The only warranty Baxter makes is the express written warranty extended on the sale or rental of its products.

Baxter.se

Baxter, FlexoStretch, Golvo, LiftPants, LiftSheet, LikoGuard, Likorall, LikoScale, LikoStretch, Multirall, OctoStretch, Repo Sheet, Solo, UltraStretch, UltraTwin, Uno and Viking are trademarks of Baxter International Inc. or its subsidiaries.

NOR-CS127-250002 [v1.0] 03/2025

